

SKG-IKOB PRODUCTCERTIFICATE

440.393.08

Date of issue: 29-11-2018



Certificate holder

Salto Systems SL
Poligono Lanbarren C / Arkotz 9
920180 Oiartzun
T: +34 (0) 943 344 550
E: info@saltosystems.com
I: www.saltosystems.com



Declaration of SKG-IKOB

This certificate has been issued on the basis of BRL 3104 in accordance with the SKG-IKOB Regulations for Attestation, Certification and Inspection.

SKG-IKOB declares that the by or on behalf of the certificate owner produced building hardware product:

rim cylinder electro mechanical

delivered under logo / brand:

SALTO

delivered under type- and / or article number:

NBK1xxG

meets class 3 STER according BRL 3104 and NEN 5089: 2009 if the product is indelibly marked with the SKG mark, as shown above.

For SKG-IKOB

A handwritten signature in blue ink, consisting of a stylized, cursive script.

ir. H.A.J. van Dartel
Certification manager

Verify at www.sterrenwijzer.nl if this certificate is still valid and actual.
This certificate contains 2 pages.

CERTIFICATE

SKG-IKOB Certificatie
Poppenbouwing 56
4191 NZ Geldermalsen

Postbus 202
4190 CE Geldermalsen

T 088-2440100
info@skgikob.nl
www.skgikob.nl

SKG-IKOB PRODUCTCERTIFICATE

Salto Systems SL
Number: 440.393.08

page 2 of 2

1. PRODUCT

rim cylinder electro mechanical

PRODUCT TYPE

cylinder

2. TECHNICAL SPECIFICATION

Operating:	Electronical operation
Construction:	round cylinder (outside part) with a lockable knob
System:	knob with plug, coupled with de cam by electronic operation
Material:	cylinder body: brass with various coatings
Dimension:	housing; Ø 29 mm
Fixing:	2x steel bolts M5 with mounting plate
Intended use:	in combination with rim locks and security furniture

3. DELIVERY

The delivery includes an installation instruction:
225792-ED.- 22102018

4. PERFORMANCES

A rim cylinder electro mechanical according this certificate fulfils the relevant requirements of BRL 3104.

A window- or door set, in which this rim cylinder electro mechanical is installed according the installation instructions of the certificate holder meets at least burglar resistance class (RC) 3 of NEN 5096 and EN 1627, if:

- the façade element or the (profile-)system from which the element is manufactured is delivered under a (KOMO-)quality approval with respect to the aspect burglar resistance, in which the actual window or door type is admitted and the herein mentioned conditions are fulfilled.

A window or door, in existing buildings, in which this rim cylinder electro mechanical is installed according the installation instructions of the certificate holder, meets the requirements of the Police Mark Save Housing (PKVW) - Existing Building, if:

- the other aspects of the façade element also comply with the applicable PKVW Protection directive (publication CCV).
-